



Quotation

To	Deliver to	
Thermoproof Surplus	Pick up Cobble Hill	
Quote No.	Customer Ref.	Quote Date
002061	Reno	2025-02-10

All Quoted Prices are Good for 15 Days

Sales Line	Details	Qty	Rate	Amount
0001	<div style="display: flex; align-items: flex-start;">  <div style="margin-left: 20px;"> <p>7460 W1 Pacific 6000 Series Picture 56 1/2w x 56 1/2h Window does not have reno flange - one can be requested. 4 Low-E270-7/16-4 Delta Sandblast(3/4) Dimension Type Frame Size Colour White Slider Frame 6627 Reno Installation Type Supply Only Weight: 101.88 lbs</p> </div> </div> <p style="color: blue; font-size: small;">Viewed from Outside</p>	1	400.00	400.00
Thermal Data & NAFS:				
U-Factor	Solar Heat Gain	Energy Rating	Visible Trans.	NRCan #
1.47	0.32	26	0.53	N/A
Performance Grade	Design Pressure	Water Penetration	Air Tightness	
R - PG30	1920	720	Fixed	
0002	<div style="display: flex; align-items: flex-start;">  <div style="margin-left: 20px;"> <p>7244 W1 Summit 7000 Series Picture Original \$215.79 13 3/4w x 43 3/4h 3 Low-E270-1/2-3 Clear(3/4) 5/8" White Dimension Type Frame Size Colour White Fixed Frame 6519 Reno Grid Side Internal Installation Type Supply Only Weight: 11.07 lbs</p> </div> </div> <p style="color: blue; font-size: small;">Viewed from Outside</p>	1	150.00	150.00
Thermal Data & NAFS:				
U-Factor	Solar Heat Gain	Energy Rating	Visible Trans.	NRCan #
1.52	0.31	25	0.59	N/A
Performance Grade	Design Pressure	Water Penetration	Air Tightness	
LC - PG40	2640	720	Fixed	


C/FWD \$ 550.00

Quote No.	Customer Ref.	Quote Date
-----------	---------------	------------

002061 Reno 2025-02-10

Sales Line	Details	Qty	Rate	Amount
------------	---------	-----	------	--------

0003 5762 W1 2 200.00 400.00




Viewed from Outside

Pacific 6000 Series
 Horizontal Slider
 XO
 27 0/0w x 46 0/0h
 3 Low-E270-1/2-3 Clear(3/4)
 Dimension Type Frame Size
 Colour White
Slider Frame 6627 Reno
Screen Flat
 Screen Mesh Fiberglass
 Installation Type Supply Only
 Weight: 46.32 lbs

Thermal Data & NAFS:

U-Factor	Solar Heat Gain	Energy Rating	Visible Trans.	NRCan #
1.50	0.29	23	0.55	N/A
Performance Grade	Design Pressure	Water Penetration	Air Tightness	
R - PG30	2160	330	A3	

0004 10704 W14 1 275.00 275.00




Viewed from Outside

Pacific 6000 Series
 Vertical Slider
 O/X
 20 3/8w x 32 0/0h
 (G1)3 Low-E270-1/2-3 Clear(3/4)
 (G2)3 Low-E270-1/2-3 Pinhead(3/4)
 Dimension Type Frame Size
 Colour White
Slider Frame 6627 Reno
Screen Flat
 Screen Mesh Fiberglass
 Installation Type Supply Only
 Weight: 25.12 lbs

Thermal Data & NAFS:

U-Factor	Solar Heat Gain	Energy Rating	Visible Trans.	NRCan #
1.51	0.29	23	0.55	N/A
Performance Grade	Design Pressure	Water Penetration	Air Tightness	
R - PG30	2400	330	A3	

0005 Courtenay 11419-4 1 375.00 375.00



Viewed from Outside

Pacific 6000 Series
 Horizontal Slider
 XO
 44 3/8w x 26 3/8h
 4 Low-E270-7/16-4 Delta Sandblast(3/4)
 Dimension Type Frame Size
 Colour White
Slider Frame 6627 Reno
Screen Flat
 Screen Mesh Fiberglass
 Installation Type Supply Only
 Weight: 46.02 lbs

Thermal Data & NAFS:

U-Factor	Solar Heat Gain	Energy Rating	Visible Trans.	NRCan #
1.50	0.29	23	0.55	N/A
Performance Grade	Design Pressure	Water Penetration	Air Tightness	
R - PG30	2160	330	A3	

Quote No.	Customer Ref.		Quote Date		
002061	Reno		2025-02-10		
Sales Line	Details		Qty	Rate	Amount
0006	Courtenay	9956-5 Pacific 6000 Series Horizontal Slider XO 68 1/2w x 56 1/2h 3 LE270-1/2-3 Clear-1/2-3 LE180(1 3/8) Dimension Type Frame Size Colour White Slider Frame 6627 Reno Screen Flat Screen Mesh Fiberglass Installation Type Supply Only Weight: 162.81 lbs	1	600.00	600.00
 <p>Viewed from Outside</p>					
Thermal Data & NAFS:					
U-Factor	Solar Heat Gain	Energy Rating	Visible Trans.	NRCan #	
0.93	0.26	34	0.48	NR6010-36558418-ES5	
Performance Grade	Design Pressure	Water Penetration	Air Tightness		
R - PG30	2160	330	A3		
0007	Courtenay	7429-8 Pacific 6000 Series Vertical Slider O/X 28 1/2w x 56 1/2h 3 LE270-1/2-3 Clear-1/2-3 LE180(1 3/8) Dimension Type Frame Size Colour White Slider Frame 6626 Nail-On Screen Flat Screen Mesh Fiberglass Installation Type Supply Only Weight: 69.86 lbs	1	350.00	350.00
 <p>Viewed from Outside</p>					
Thermal Data & NAFS:					
U-Factor	Solar Heat Gain	Energy Rating	Visible Trans.	NRCan #	
0.95	0.26	34	0.48	NR6010-36558428-ES5	
Performance Grade	Design Pressure	Water Penetration	Air Tightness		
R - PG30	2400	330	A3		
0008	Courtenay	9934-9/10 Pacific 6000 Series Horizontal Slider XO 40 1/2w x 22 1/2h 3 LE366-1/2-3 LE180-1/2-3 Clear(1 3/8) Dimension Type Frame Size Colour White Slider Frame 6627 Reno Screen Flat Screen Mesh Fiberglass Installation Type Supply Only Weight: 41.76 lbs	2	350.00	700.00
 <p>Viewed from Outside</p>					
Thermal Data & NAFS:					
U-Factor	Solar Heat Gain	Energy Rating	Visible Trans.	NRCan #	
0.92	0.19	30	0.48	NR6010-36558422-ES5	
Performance Grade	Design Pressure	Water Penetration	Air Tightness		
R - PG30	2160	330	A3		

Quote No.	Customer Ref.	Quote Date
002061	Reno	2025-02-10
Payment Terms		Total
50% Deposit, Remainder Due at Delivery		\$ 3,250.00
		PST 7.00% \$ 227.50
		GST 5.00% \$ 162.50
		Grand Total \$ 3,640.00

Thermoproof Windows and Doors

We are the largest locally owned window and door manufacturer on the island. We started out with wood windows, transitioned to aluminum and have now perfected our products using vinyl. Our components may have changed over the years, but our focus on exceptional quality and customer service remains steadfast.