


Quotation



To	Deliver to	
Thermoproof Surplus	Pick up Cobble Hill	
Quote No.	Customer Ref.	Quote Date
012987	Nail-on Black	2025-02-06



All Quoted Prices are Good for 15 Days

Sales Line	Details	Qty	Rate	Amount
0001	<div style="display: flex; align-items: flex-start;"> <div style="margin-right: 10px;"> <p>W1</p>  <p>Viewed from Outside</p> </div> <div> <p>Ensuite Tofino 8000 Series Awning A 23 1/2w x 23 1/2h 3 LE366-1/2-3 LE180-1/2-4 Rain(1 7/16) Dimension Type Frame Size Colour Paint Exterior Paint Exterior Satin Black Window Frame 6301 Triple Flange Type Nail-On Screen Lip Screen Mesh Fiberglass Handle Evolution Handle Colour West Coast White Installation Type Supply Only Weight: 26.50 lbs</p> </div> </div>	1	553.51	553.51
Thermal Data & NAFS:				
U-Factor	Solar Heat Gain	Energy Rating	Visible Trans.	NRCan #
0.96	0.15	27	0.37	NR6010-36558388-ES5
Performance Grade	Design Pressure	Water Penetration	Air Tightness	
LC - PG40	1920	720	A3	

C/FWD \$

553.51

Quote No.	Customer Ref.		Quote Date			
012987	Nail-on Black		2025-02-06			
Sales Line	Details			Qty	Rate	Amount
0002	W2	Entry		1	669.12	669.12
		Tofino 8000 Series Casement R 31 1/2w x 43 1/2h 3 LE366-1/2-3 Clear-1/2-3 LE180(1 3/8) Dimension Type Frame Size Colour Paint Exterior Paint Exterior Satin Black Window Frame 6301 Triple Flange Type Nail-On Screen Lip Screen Mesh Fiberglass Handle Evolution Handle Colour West Coast White Installation Type Supply Only Weight: 59.36 lbs				
Thermal Data & NAFS:						
U-Factor	Solar Heat Gain	Energy Rating	Visible Trans.	NRCan #		
0.96	0.15	27	0.37	NR6010-36558388-ES5		
Performance Grade	Design Pressure	Water Penetration	Air Tightness			
LC - PG40	1920	720	A3			
0003	W3	Suite		1	637.91	637.91
		Tofino 8000 Series Awning A 47 1/2w x 23 1/2h 3 LE366-1/2-3 Clear-1/2-3 LE180(1 3/8) Dimension Type Frame Size Colour Paint Exterior Paint Exterior Satin Black Window Frame 6301 Triple Flange Type Nail-On Screen Lip Screen Mesh Fiberglass Handle Evolution Handle Colour West Coast White Installation Type Supply Only Weight: 49.37 lbs				
Thermal Data & NAFS:						
U-Factor	Solar Heat Gain	Energy Rating	Visible Trans.	NRCan #		
0.96	0.15	27	0.37	NR6010-36558388-ES5		
Performance Grade	Design Pressure	Water Penetration	Air Tightness			
LC - PG40	1920	720	A3			


Quote No.	Customer Ref.		Quote Date			
012987	Nail-on Black		2025-02-06			
Sales Line	Details			Qty	Rate	Amount
0004	W4	Suite Bed	Tofino 8000 Series	1	595.99	595.99
		Casement R 35 1/2w x 24 1/2h Window Enlarged to meet Egress New RO = 36" x 25"				
		3 LE366-1/2-3 Clear-1/2-3 LE180(1 3/8) Dimension Type Frame Size Colour Paint Exterior Paint Exterior Satin Black Window Frame 6301 Triple Flange Type Nail-On Screen Lip Screen Mesh Fiberglass Handle Evolution Handle Colour West Coast White Installation Type Supply Only Weight: 39.16 lbs				
Thermal Data & NAFS:						
U-Factor	Solar Heat Gain	Energy Rating	Visible Trans.	NRCan #		
0.96	0.15	27	0.37	NR6010-36558388-ES5		
Performance Grade	Design Pressure	Water Penetration	Air Tightness			
LC - PG40	1920	720	A3			
0005	W6	Suite	Tofino 8000 Series	1	546.68	546.68
		Awning A 23 1/2w x 23 1/2h 3 LE270-1/2-3 LE180-1/2-4 Rain(1 7/16) Dimension Type Frame Size Colour Paint Exterior Paint Exterior Satin Black Window Frame 6301 Triple Flange Type Nail-On Screen Lip Screen Mesh Fiberglass Handle Evolution Handle Colour West Coast White Installation Type Supply Only Weight: 26.50 lbs				
Thermal Data & NAFS:						
U-Factor	Solar Heat Gain	Energy Rating	Visible Trans.	NRCan #		
0.97	0.20	30	0.37	NR6010-36558384-ES5		
Performance Grade	Design Pressure	Water Penetration	Air Tightness			
LC - PG40	1920	720	A3			

Quote No.	Customer Ref.	Quote Date
-----------	---------------	------------

012987 Nail-on Black 2025-02-06

Sales Line	Details	Qty	Rate	Amount
------------	---------	-----	------	--------

0006 W7 Primary 1 542.15 542.15




Viewed from Outside

Tofino 8000 Series
Picture
O
47 1/2w x 55 1/2h
3 LE270-1/2-3 Clear-1/2-3 LE180(1 3/8)
Dimension Type Frame Size
Colour Paint Exterior
Paint Exterior Satin Black
Fixed Frame 6301 Triple
Flange Type Nail-On
Installation Type Supply Only
Weight: 101.88 lbs

Thermal Data & NAFS:

U-Factor	Solar Heat Gain	Energy Rating	Visible Trans.	NRCan #
0.91	0.26	35	0.50	NR6010-36558374-ES5
Performance Grade	Design Pressure	Water Penetration	Air Tightness	
LC - PG40	1920	720	Fixed	

0007 W8 Primary 1 741.55 741.55





Viewed from Outside



Tofino 8000 Series
Casement
R
31 1/2w x 55 1/2h
Meets Egress.

3 LE270-1/2-3 Clear-1/2-3 LE180(1 3/8)
Dimension Type Frame Size
Colour Paint Exterior
Paint Exterior Satin Black
Window Frame 6301 Triple
Flange Type Nail-On
Screen Lip
Screen Mesh Fiberglass
Handle Evolution
Handle Colour West Coast White
Installation Type Supply Only
Weight: 74.66 lbs

Thermal Data & NAFS:

U-Factor	Solar Heat Gain	Energy Rating	Visible Trans.	NRCan #
0.97	0.20	30	0.37	NR6010-36558384-ES5
Performance Grade	Design Pressure	Water Penetration	Air Tightness	
LC - PG40	1920	720	A3	

Quote No.	Customer Ref.	Quote Date		
012987	Nail-on Black	2025-02-06		
Sales Line	Details	Qty	Rate	Amount
0008	<p>W9</p>  <p>Viewed from Outside</p> <p>Suite Tofino 8000 Series Awning A 47 1/2w x 41 1/2h 3 LE270-1/2-3 Clear-1/2-3 LE180(1 3/8) Dimension Type Frame Size Colour Paint Exterior Paint Exterior Satin Black Window Frame 6301 Triple Flange Type Nail-On Screen Lip Screen Mesh Fiberglass Handle Evolution Handle Colour West Coast White Installation Type Supply Only Weight: 83.32 lbs</p>	1	793.60	793.60
Thermal Data & NAFS:				
U-Factor	Solar Heat Gain	Energy Rating	Visible Trans.	NRCan #
0.97	0.20	30	0.37	NR6010-36558384-ES5
Performance Grade	Design Pressure	Water Penetration	Air Tightness	
LC - PG40	1920	720	A3	
0009	<p>W10</p>  <p>Viewed from Outside</p> <p>Suite Tofino 8000 Series Awning AA 71 1/2w x 23 1/2h 3 LE270-1/2-3 Clear-1/2-3 LE180(1 3/8) Dimension Type Frame Size Colour Paint Exterior Paint Exterior Satin Black Window Frame 6301 Triple Flange Type Nail-On Screen Lip Screen Mesh Fiberglass Handle Evolution Handle Colour West Coast White Installation Type Supply Only Weight: 75.15 lbs</p>	1	1,113.27	1,113.27
Thermal Data & NAFS:				
U-Factor	Solar Heat Gain	Energy Rating	Visible Trans.	NRCan #
0.97	0.20	30	0.37	NR6010-36558384-ES5
Performance Grade	Design Pressure	Water Penetration	Air Tightness	
LC - PG40	1920	720	A3	

Quote No.	Customer Ref.		Quote Date			
012987	Nail-on Black		2025-02-06			
Sales Line	Details			Qty	Rate	Amount
0010	W11	Ensuite Tofino 8000 Series Picture O 47 1/2w x 23 1/2h 3 LE366-1/2-3 Clear-1/2-3 LE180(1 3/8) Dimension Type Frame Size Colour Paint Exterior Paint Exterior Satin Black Fixed Frame 6301 Triple Flange Type Nail-On Installation Type Supply Only Weight: 43.70 lbs	1	301.48	301.48	
						
Thermal Data & NAFS:						
U-Factor	Solar Heat Gain	Energy Rating	Visible Trans.	NRCan #		
0.90	0.20	32	0.50	NR6010-36558378-ES5		
Performance Grade	Design Pressure	Water Penetration	Air Tightness			
LC - PG40	1920	720	Fixed			
0011	W12	Primary Tofino 8000 Series Picture O 71 1/2w x 23 1/2h 3 LE366-1/2-3 Clear-1/2-3 LE180(1 3/8) Dimension Type Frame Size Colour Paint Exterior Paint Exterior Satin Black Fixed Frame 6301 Triple Flange Type Nail-On Installation Type Supply Only Weight: 65.34 lbs	1	408.95	408.95	
						
Thermal Data & NAFS:						
U-Factor	Solar Heat Gain	Energy Rating	Visible Trans.	NRCan #		
0.90	0.20	32	0.50	NR6010-36558378-ES5		
Performance Grade	Design Pressure	Water Penetration	Air Tightness			
LC - PG40	1920	720	Fixed			
Payment Terms				Total		\$ 6,904.21
50% Deposit, Remainder Due at Delivery				PST	7.00%	\$ 483.29
				GST	5.00%	\$ 345.21
				Grand Total		\$ 7,732.71

Thermoproof Windows and Doors

Since 1977, Thermoproof Windows & Doors has been designing and building for homes on Vancouver Island and the North and South Gulf Islands. We build our products in Cobble Hill to withstand the elements that you will experience as an Islander.